


PROPOSED FOUL SEWER MANHOLE SCHEDULE

MANHOLE REF.	MANHOLE DETAILS	EASTING (m)	NORTHING (m)
FSMH 01	CL = 75.000 IL = 74.220 F 1.001 : IL = 74.220	667438.507	833816.561
FSMH 02	CL = 75.000 IL = 73.897 F 1.001 : IL = 73.897 F 1.002 : IL = 73.897	667458.888	833800.623
FSMH 03	CL = 74.768 IL = 73.578 F 1.002 : IL = 73.578 F 1.003 : IL = 73.578	667479.004	833784.891
FSMH 04	CL = 74.012 IL = 71.839 F 1.003 : IL = 73.488 F 1.004 : IL = 71.839	667487.333	833795.498
FSMH 05	CL = 75.000 IL = 68.214 F 1.004 : IL = 71.758 F 1.005 : IL = 68.214	667492.925	833798.804
FSMH 06	CL = 71.080 IL = 70.080 F 3.001 : IL = 70.080	667429.840	833796.038
FSMH 07	CL = 777 IL = 69.521 F 3.001 : IL = 69.521 F 3.002 : IL = 69.521	667465.081	833788.478
FSMH 08	CL = 777 IL = 69.359 F 2.001 : IL = 69.890 F 3.002 : IL = 69.359 F 3.003 : IL = 69.359	667473.066	833778.666
FSMH 09	CL = 71.080 IL = 70.080 F 2.001 : IL = 70.080	667461.137	833788.037
FSMH 10	CL = 68.250 IL = 68.879 F 3.003 : IL = 68.879 F 3.004 : IL = 68.879	667511.321	833775.093
FSMH 11	CL = 68.649 IL = 68.655 F 3.004 : IL = 68.655 F 3.005 : IL = 68.655	667524.497	833787.220

REVISION SCHEDULE

REV. NO.	REV. DESCRIPTION	REV. DATE	DRAWN	CHECKED
IRW1	IRISH WATER PRE-CONNECTION ENQUIRY	22/03/2023	JPC	JFC
IRW2	IRISH WATER PRE-CONNECTION ENQUIRY	30/05/2023	JPC	JFC
PL1	ISSUED FOR PRE-PLANNING DISCUSSION	16/08/2023	JPC	JFC
PL2	ISSUED FOR PRE-PLANNING DISCUSSION	31/08/2023	JPC	JFC
PL3	ISSUED FOR PLANNING	23/11/2023	KJD	JFC



PROPOSED FOUL SEWER PIPE DETAILS

PIPE NAME	SIZE (mm)	PLAN LENGTH (m)	SLOPE	START IL (m)	END IL (m)
F 1.001	110Ø : uPVC	25.872	1:80	74.220	73.897
F 1.002	110Ø : uPVC	25.538	1:80	73.897	73.578
F 1.003	150Ø : uPVC	13.486	1:150	73.578	73.488
F 1.004	150Ø : uPVC	6.497	1:80	71.839	71.758
F 1.005	225Ø : uPVC	17.109	1:80	68.214	68.000
F 2.001	110Ø : uPVC	15.169	1:80	70.080	69.890
F 3.001	110Ø : uPVC	44.737	1:80	70.080	69.521
F 3.002	150Ø : uPVC	12.944	1:80	69.521	69.359
F 3.003	150Ø : uPVC	38.421	1:80	69.359	68.879
F 3.004	150Ø : uPVC	17.907	1:80	68.879	68.655
F 3.005	225Ø : uPVC	9.374	1:80	68.655	68.538

Drawing Stage:
PLANNING

Project Details:

Site Address:	MONAGHAN CO. CO. HQ, ROOSKY, MONAGHAN TOWN
Client:	MONAGHAN COUNTY COUNCIL
Architect:	HENRY J LYONS ARCHITECTS
M&E Designer:	
Contractor:	

Notes

Drawn by:	JPC	Checked by:	KO'M	Approved by:	JFC	Date:	FEB '23
Project Name:	CIVIC OFFICES			Scale:	1:500 @ A1	Project Number:	2223
Drawing Title:	OVERALL SITE DRAINAGE PLAN FOUL SEWER			Project:	MCC	Originator:	CORA
		Zone:	ZZ	Level:	ZZ	Type:	DR
		Discipline:	C	Drawing No:	0003	Stage:	PL3

CORA CONSULTING ENGINEERS

Behan House,
10 Lower Mount Street,
Dublin 2. D02 HT71
Tel: +353 1 661 1100
e-mail: info@cora.ie
Web: www.cora.ie